
Unisto Fixlock







Brand New Fix Length Security seal for applications such as Containers, Boxes, Truck and Trailer Doors. Widely used in the Cash in Transit, Railway and Transport industry. Minimum hole diameter of 7 mm plus required. Snake-line on ribbon deters cutting and guarantees easy checking for cuts. Consecutive numbering or barcodes enables easy recording of the seal numbers and streamling operations. Various plastic colours available for logistical control. Special designed locking cap indicates potential attack by heat. Option: Special treatment version preventing glueing/heat welding.

© Unisto, www.unisto.com

Features of this security seal


Type of Seal
Fixlength Seals

Application
Container

- Locking insert of special plastic increases tamper resistance
- Special designed locking cap indicates potential attack by heat
- Snake-line on ribbon deters cutting and guarantees easy checking for cuts
- Various colours for logistical functions
- Customer name/logo for clear identification
- Barcoding for fast, accurate and reliable data capture and streamlining operations
- Mats of 10 seals allows sequential distribution

© Unisto, www.unisto.com

Minimum size



Materials
Ribbon/Housing: Polyethylene (PE)
Spring: Thermocomp

Tensile strength (loop)
Approx. 20 kg

Numbering
8 digits

Barcoding
Interleaved 2/5 or Barcode 128

Customer name/logo
Foil printed

Colours - numbered version
Dark blue, dark green, red, grey, yellow, white, black
Other colours available on request

Colours - Barcode directly lasered
White, yellow, apricot, pink, purple, grey, light brown

Colour locking cap
always purple


Packing
Mats of 10 seals, 1’000 seals per box
Fixlock 155 mm:
56.5 x 38.0 x 14.5 cm (0.031 m3), approx. 4.0 kg
Fixlock LT 155 mm:
56.5 x 38.0 x 14.5 cm (0.031 m3), approx. 4.6 kg
Fixlock 245 mm:
56.5 x 38.0 x 14.5 cm (0.031 m3), approx. 4.4 kg


© Unisto, www.unisto.com

How to close



How to open





© Unisto, www.unisto.com